

03/30/00
JC784 U.S. PTO

04-03:00

JC525 U.S. PTO
09/539500
03/30/00

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Brian Philip Mathews and Ratnakar G. Dev
Docket: 30566.80USU1
Title: METHOD AND APPARATUS FOR PROVIDING ACCESS TO DRAWING INFORMATION

CERTIFICATE OF MAILING UNDER 37 CFR 1.10
'Express Mail' mailing label number: EL307939555US
Date of Deposit: March 30, 2000
I hereby certify that this paper or fee is being deposited with the United States Postal Service 'Express Mail Post Office To Addressee' service under 37 CFR 1.10 and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.
By: Suzie J. McCleave
Name: Suzie J. McCleave

BOX PATENT APPLICATION
Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

We are transmitting herewith the attached:

- ☒ Transmittal sheet, in duplicate, containing Certificate Of Mailing Under 37 CFR 1.10.
- ☒ Utility Patent Application: Spec. 21 pgs; 15 claims; Abstract 1 pg(s).
The fee has been calculated as shown below in the "Claims as Filed" table.
- ☒ 7 sheets of Drawings
- ☒ A signed Combined Declaration and Power of Attorney
- ☒ Assignment of the invention to Autodesk, Inc., Recordation Form Cover Sheet
- ☒ Our Check No. 2736 in the amount of \$690.00 to cover the Filing Fee
- ☒ Our Check No. 2737 for \$40.00 to cover the Assignment Recordation Fee.
- ☒ Return postcard

CLAIMS AS FILED

Number of Claims Filed	In Excess of:	Number Extra	Rate	Fee
Basic Filing Fee				\$690.00
Total Claims				
15	20	0	x \$18.00	= \$0.00
Independent Claims				
3	3	0	x \$78.00	= \$0.00
MULTIPLE DEPENDENT CLAIM FEE				\$0.00
TOTAL FILING FEE				\$690.00

Please charge any additional fees or credit overpayment to Deposit Account No. 50-0494. A duplicate of this sheet is enclosed.

Customer Number 22462.

GATES & COOPER
Howard Hughes Center
6701 Center Drive West, Suite 1050
Los Angeles, CA 90045
(310) 641-8797

By: Jason S. Feldmar
Name: Jason S. Feldmar
Reg. No. 39,187
Initials: JSF/sjm

CROSS-REFERENCE TO RELATED APPLICATIONS

This application claims the benefit under 35 U.S.C. §119(e) of co-pending and commonly assigned U.S. Provisional application serial number 60/132,057, entitled "AUTOMATED SEARCHING AND DISTRIBUTION OF DESIGN DRAWING DATA TO INTERNET BROWSERS," filed on April 30, 1999, by Brian Phillip Mathews et. al., attorney's docket number 30566.80-US-P1, which application is fully incorporated by reference herein.

This application is related to the following co-pending and commonly-assigned patent applications, all of which applications are fully incorporated by reference herein:

United States Patent Application Serial No. 09/501,474, entitled "INTELLIGENT DRAWING REDLINING AND COMMENTING FEATURE", by Vincent Abeyta, et. al., Attorney Docket No. 30566.77-US-U1, filed on February 9, 2000; and

United States Provisional Patent Application Serial No. 60/126,170, entitled "CAD DRAWING COLLABORATION VIA WEB BASED SYSTEMS", by Mark E. Sweat et. al., Attorney Docket No. 30566.79-US-P1, filed on March 25, 1999.

BACKGROUND OF THE INVENTION

1. Field of the Invention.

The present invention relates generally to transmission of data between computers, and in particular, to a method, apparatus, and article of manufacture for providing access to drawing information and for automated searching, translation,

filtering, change notification, version management, and distribution of design drawing data.

2. Description of the Related Art.

5 The use of Computer Aided Design (CAD) application programs is well known in the art. CAD application programs use specific formats to store drawing data. These formats include ".DWG" formatted drawings, ".DWF" formatted drawings, and other formats.

The drawing formats are typically unique to a given CAD application program.
10 The drawing formats were designed to store drawing data on a single computer or a single host computer, and are not easily transported via computer data links, typically because of the size of drawing files and the uniqueness of the computer objects.

However, with the advent of collaborative efforts using computer data links, custom libraries of CAD objects, and other computer-based tools that allow multiple
15 users to access drawings from geographically diverse sites, the drawing formats have become cumbersome to the progress of remote computing. The now widespread use of the Internet, Intranets, and Local Area Networks (LANs) requires that the drawing formats be more compatible with network and web-enabled systems.

Consequently, there is a need in the art for improved techniques to access,
20 translate, and manipulate CAD designed drawing data on a network. Further, there is a need in the art for improved techniques for formatting the data such that the various parties that desire access to the CAD data can obtain the information desired. These

problems may be better understood by describing drawing formats and prior art access techniques.

Drawing Formats

5 As described above, CAD application programs use specific formats to store drawing data. These formats include “.DWG” formatted drawings, “.DWF” formatted drawings, “.DXF” formatted drawings, and other formats.

 The “DWG” format is a standard file format for saving vector graphics from within CAD drawing programs such as AutoCAD® available from AutoDesk, Inc.

10 The “DWF” (drawing web format) format is an industry internet standard recognized by IETF, was developed by the assignee of the present invention, AutoDesk, Inc. and is an open file format for the transfer of drawings over networks, including the internet. DWF is a highly compressed file format that is created from a DWG file. DWF files are easy to publish and view on the web. Further, DWF is a
15 vector graphics format for the transfer of drawings over intranets and the internet. DWF is a graphics format for vector data, unlike GIF or JPEG which are graphics formats for raster data. DWF files can be generated by any application that supports DWF exporting. Further, any DWF file can be viewed by any DWF viewer. DWF uses compression to speed up data transfer times. Further, DWF removes the “non-
20 visual” components of a drawing, like attributes, properties, and complex object behavior. In other words, DWF is an “electronic plot” that is “view-only”. DWF supports hyperlinking, so that vectors or areas in a drawing can be made “active”.

Users of DWF have three benefits: speed, security and precision. DWF provides speed because of the high compression utilized so that files are smaller and faster to transmit and open than full-blown CAD files. Most DWFs are from 50-90 percent smaller than DWG files. DWF provides security because DWF files cannot be modified, so they maintain the integrity of the original CAD DWG file which it is based on. In effect, the DWF is a “digital plot” of the original DWG drawing. DWF provides precision because DWF files are vector-based. When zooming in a DWF, precision is maintained; with other bitmap formats (e.g., GIF or JPEG), zooming results in “fat pixels”.

“DXF” formatted drawings are drawings formatted in the document exchange format. Many CAD systems import and export the DXF format for graphics interchange.

Access Techniques

FIG. 1 illustrates techniques for publishing drawing information (i.e., providing access to drawing information). A drawing program such as AutoCAD® is utilized to create one or more DWG drawings 100. The drawings may then be converted to DWF format 102 (or other format) by the drawing program.

Once the format has been converted by a drawing program user, the DWF file may be published using a web server. For example, in FIG. 1, an information internet server (IIS) 104 (available from Microsoft) is utilized in combination with NT server 106 (available from Microsoft) to publish the DWF information. IIS is an internet file

5 server script and component code to deliver client-server functionality. Other internet servers that the prior art utilizes include the Netscape Enterprise Server and the Apache server.

Many browsers are available in the prior art including Internet Explorer and Netscape Navigator. Thus, the prior art provides the ability to view a DWF file 102 and information about the DWF file 102 using a drawing program to convert DWG files to DWF files and a server 104 to create HTML pages 108 for viewing over the internet using a browser 110.

SUMMARY OF THE INVENTION

To address the requirements described above, one or more embodiments of the invention provide a method, apparatus, and article of manufacture for automating the finding and serving of CAD design data. One or more embodiments of the invention

5 increase the level of access and automation possible with design data. One or more embodiments of the invention provide a server comprised of various components including an information extraction component, a search component, and a conversion component. The various components provide users with enhanced access to drawing and design data. One or more embodiments of the invention also provide

10 programmable, scriptable components that can query, filter, manipulate, merge, and translate design drawing data using a graphical user interface. Further, network and web site administrators can use the present invention to dynamically index and publish design drawing data.

BRIEF DESCRIPTION OF THE DRAWINGS

Referring now to the drawings in which like reference numbers represent corresponding parts throughout:

FIG. 1 illustrates the prior art environment for providing access to drawing
5 information;

FIG. 2 is an exemplary hardware environment in accordance with one or more embodiments of the invention;

FIG. 3 illustrates the details of a server, server components, and the interaction between server components in accordance with one or more embodiments of the invention;

FIG. 4 illustrates further details of a server design in accordance with one or more embodiments of the invention; and

FIGS. 5-7 illustrate the user interface in accordance with one or more embodiments of the invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

In the following description, reference is made to the accompanying drawings which form a part hereof, and in which is shown, by way of illustration, several embodiments of the present invention. It is understood that other embodiments may
5 be utilized and structural changes may be made without departing from the scope of the present invention.

Overview

The present invention discloses a method, apparatus, and article of manufacture
10 for providing access over a network to drawing information including the automating, finding, translation, filtering, merging, manipulation, and serving of CAD design data. The level of access and automation possible with design data is increased. A server comprises several components including an information extraction component, a search component, and a conversion component. The invention also provides
15 programmable, scriptable components that can query, filter, merge, and translate design drawing data using a graphical user interface such as a Web browser interface. Further, network and Web site administrators can use the present invention to dynamically index and publish design drawing data.

The present invention allows for the custom creation of Hyper Text Mark-up
20 Language (HTML) pages from CAD files automatically. Further, the present invention automatically translates DWG and DXF files into a number of other formats, e.g., DXF, DWF, JPEG (Joint Photographic Experts Group), BMP (BitMaP),

DWG R9-14 (a DWG format for one or more AutoCAD® versions/releases), and other formats. The present invention also allows for searching of DWG, DXF, and DWF files to locate data based on drawing properties, text, layers, blocks, attributes, or other search parameters supplied by a user.

5 The present invention is compatible with popular web browsers, e.g., Netscape Navigator and Internet Explorer. Further, the present invention interfaces with Microsoft Active Server Pages (ASP) and Common Gateway Interface (CGI) scripts. These compatibility and interface capabilities of the present invention allow the present invention to create powerful, data-driven networks and web sites that index,
10 query, translate, filter, manipulate, and reference DWG data for a variety of uses, including product catalogs, detail managers, standards libraries, and other extranet/intranet/Internet applications. Further, the present invention allows designers to create a self-service network such as an FTP (file transfer protocol) or web site that allow others to download drawings in whatever format is desired, which
15 eliminates the need for designers to perform conversion and publishing tasks.

Hardware Environment

FIG. 2 schematically illustrates a hardware and software environment in accordance with one or more embodiments of the invention, and more particularly,
20 illustrates a typical distributed computer system 200 using a network 202 to connect client computers 204 to server computers 206. A typical combination of resources may include a network 202 comprising the Internet, LANs, WANs, SNA networks, or the

like, clients 204 that are personal computers or workstations, and servers 206 that are personal computers, workstations, minicomputers, or mainframes.

The Internet 202 connects client computers 204 executing Web browsers 208 to server computers 206 executing Web servers 210. The Web browser 208 is typically a
5 program such as Netscape's Navigator or Microsoft's Internet Explorer. The Web server 210 is typically a program such as IBM's HyperText Transport Protocol (HTTP) Server or Microsoft's Internet Information Server. In one or more embodiments, the servers 206 also interface and/or manage a database 216.

Generally, components 202-216 all comprise logic and/or data that is embodied
10 in or retrievable from device, medium, signal, or carrier, e.g., a data storage device, a data communications device, a remote computer or device coupled to the computer via across a network or via another data communications device, etc. Moreover, this logic and/or data, when read, executed, and/or interpreted, results in the steps necessary to implement and/or use the present invention being performed.

Thus, embodiments of the invention may be implemented as a method,
15 apparatus, or article of manufacture using standard programming and/or engineering techniques to produce software, firmware, hardware, or any combination thereof. The term "article of manufacture" (or alternatively, "computer program product") as used herein is intended to encompass logic and/or data accessible from any computer-
20 readable device, carrier, or media.

Those skilled in the art will recognize many modifications may be made to this exemplary environment without departing from the scope of the present invention.

For example, those skilled in the art will recognize that any combination of the above components, or any number of different components, including different logic, data, different peripherals, and different devices, may be used to implement the present invention, so long as similar functions are performed thereby. Specifically, those
5 skilled in the art will recognize that the present invention may be applied to any database, associated database management system, or peripheral device.

Computer-Implemented Graphics Program

Embodiments of the invention may be implemented in a variety of applications
10 and environments. For example, in one implementation, a network for architects may be created with standard and best practice drawings that are searchable, transformable, etc. In a second implementation, a building system web page may be created that offers a searchable catalog of components. In a third implementation, a facilities management application may allow updates and indexes to a floor plan that is
15 published on the internet. In a fourth implementation, a project web site may allow easy access to drawing data via a quick preview (e.g., a thumbnail view) without the author manually publishing or converting the drawing or manually searching for information using a drawing viewer. The above four implementations are illustrative of the types of applications that may utilize embodiments of the invention. However,
20 embodiments of the invention may be utilized in any type of application, system, network, etc.

Server Implementation

Components of the invention may be used in any type of network or system such as an intranet or LAN. One or more embodiments implement server 206 and server components to provide the user with various capabilities and options. FIG. 3
5 illustrates the details of a server 206, server components, and the interaction between server components in accordance with one or more embodiments of the invention. As in the prior art, drawings are created by a drawing program such as AutoCAD® and stored in a database 100 in DWG format. However, in accordance with one or more
10 DWG file into another format (e.g., DWF format).

Server application 300 contains various components that enable various capabilities. The information extraction component 302 provides information relating to the file such as the size of the file, relevant dates, the author, etc. Such information may be displayed to the user using HTML 108 on a web browser 110. However, this
15 information may also be utilized internally and not presented to a user.

Search component 304 provides a query engine that allows complex property and tag-based queries of the drawing files stored in database 100. Search component 304 may also provide a live LAN (local area network) crawler that traverses the LAN to obtain information. In one or more embodiments, the crawler is live and not
20 batched so that the index stays current.

The conversion component 306 enables the transformation from one drawing file format to another drawing file format (e.g., DWG to DWF). Additionally, the

conversion component 306 is cached for speed and scalability.

Server application 300 and its components 302-306 may interface with a variety of applications to provide the functionality of components 302-306 to a variety of types of systems in a variety of applications. In one or more embodiments, server

5 application 300 and its components 302-306 interact with an ASP 308. ASP (Active Server Page) 308 is a web page that contains programming code written in VB (visual basic) script, Javascript, or other scripting language. When IIS server 310 encounters an ASP 308 that is requested by browser 110, IIS server 310 executes the embedded program to create HTML pages 108. Essentially, ASPs 308 are utilized to dynamically
10 generate HTML pages 108 for viewing by browsers 110. ASPs 308 are supported by IIS 310 and NT server 106 that enable the HTML 108 generation. Thus, when one of the server components 302-306 is activated, the programming code of an ASP 308 may be executed to produce HTML pages 108. In one or more embodiments, ASP 308 provides for the conversion and storing of a drawing file into a selected format. For
15 example, when the user selects a desired file format hyperlink (see description below), the ASP 308 interacts with the conversion server component 306 to convert/transform the drawing and the ASP 308 provides for the user interface (e.g., the prompts to open, save, and select the save location).

FIG. 4 illustrates further details of a server design in accordance with one or
20 more embodiments of the invention. On the user side, browser 110 may be utilized in combination with a web application 424 or other application installed on a user computer to interact, manipulate, retrieve, and display web pages or drawings. For

example, the browser 110 or other application may interact with VoloView[®], an application available from AutoDesk, Inc. Alternatively, any application or application programming interface (API) can be utilized on the user/client or server side to utilize the components 302-306 of the invention.

5 Components of the invention include translate ASP pages component 400 (e.g., convert server component 306), DWG info ASP pages component 402 (e.g., info server component 302), search ASP pages component 404 (e.g., search server component 304), server manager 406, cache manager 408, file access manager 410, extraction component 412, drawing filters 422, server application MMC (Microsoft Management Console)
10 snap-in 432, and DWG DAL (data access) 420. The remaining components of FIG. 4 may be utilized by embodiments of the invention.

 Drawing applications 414 (e.g., AutoCAD[®]) create the various DWG files and store them as DWGs on a LAN 100. The files may be manipulated and displayed by ObjectDBX 416 (an object oriented database available from AutoDesk, Inc.) and image
15 engine 418. DWG DAL (data access) 420 interacts with ObjectDBX 416 and image engine 418 to provide access to the information in the DWG files. ObjectDBX 416 is the software framework component that AutoCAD[®] uses to access, read, and write to intelligent object databases. Developers can take advantage of a system that utilizes ObjectDBX 416 by designing their application as two distributed components: a core
20 logic component (.arx) and a database extension component (.dbx).

 Server manager 406, such as the AutoCAD[®] Server Manager, interacts with the drawing application 414. Cache manager 408 provides for uploading and storing the

DWG files 100 in local cache. File access manager 410 manages control of the files.

The IIS 104 and ASP 308 provide for the interaction between browser 110 and the drawings 100. As described above, ASPs 308 are responsible for invoking the various components in accordance with a user's request. For example, ASP 308 may
5 translate the drawing into a different format 400, retrieve/extract information 402, or search 404 the DWG files 100 for certain information or attributes. Each of these actions from ASPs 308 may utilize other system components (e.g., server manager 406, cache manager 408, file access manager 410, or extraction component 412).

Search component 404 may utilize an index server 428 that interacts with drawing filters 422 to filter and retrieve information. For example, each drawing filter 422 may filter information from a different type of drawing format such that one drawing filter 422 may be for DWG files, another filter 422 for DWF files, and another filter for DXF files, etc. Additionally, management console 426 may contain a server application MMC (Microsoft Management Console) snap-in 432. A MMC snap-in 432 is a component responsible for performing management tasks. MMC 426 serves as a host for snap-in-defined user interfaces, but does not limit what the snap-ins 432 can do or how they communicate with the administered services.

Other configurations and/or user interfaces are possible without departing from the scope of the present invention. For example, any type of computer, such as a mainframe, minicomputer, workstation or personal computer, could be used with the present invention. In addition, any software program, network, application, or operating system having a user interface could benefit from the present invention.

Interface

The components described in FIGS. 3 and 4 may be utilized as an Application Programming Interface (API) for servers 206 to present information to a user, programmer, or developer. In one implementation, the components are utilized to produce web pages that are displayed on a browser 110. Such an interface may allow the real time search, retrieval, file format conversion, and display of drawing information. FIGS. 5-7 illustrate the user interface used in accordance with one or more such embodiments.

FIG. 5 illustrates a typical web browser interface 500 as displayed on a client 204. Within interface 500, a query box is indicated that allows a user to enter a query, e.g., a word, symbol, or other item that the user wishes to locate within CAD files accessible by the user. As shown in FIG. 5, the query entered is “exterior.” The user then clicks on the “search” or “go” button to enter the search terms into the present invention. Additional hyperlinks are provided to allow the user to obtain assistance in searching the DWG files (“Tips for searching”) or to create a new search query (“Search Again”).

Once the present invention completes the search, the CAD files that contain the search terms are displayed in a condensed format for the user to view. As shown in FIG. 5, eight documents matched the search term “exterior.” The first document is entitled cs_8300_2.dwg, and the second document is entitled cs_8350_1.dwg.

FIG. 6 illustrates the typical web browser interface 500 as displayed on a

browser 208 for a new search term. Within the query box, the user has replaced “exterior” with “window.”

The CAD files that contain the search term “window” are displayed in a condensed format for the user to view. As shown in FIG. 6, four documents matched the search term “window.” The first document is entitled cs_8300_2.dwg, and the second document is entitled cs_8300_4.dwg. As demonstrated in both FIGS. 5 and 6, thumbnail views 502, 504, and 602 of the drawings are displayed. In accordance with one or more embodiments of the invention, the user may select the image in the thumbnail views 502, 504, and 602 and move the image within the display area 502, 504, and 602 or perform other actions on the image while still in thumbnail view.

The user can enter more than one term in the query box to perform more advanced searches if desired.

After performing the searches as described with respect to FIGS. 5 and 6, the user may decide that a specific drawing meets the criteria for more detailed viewing. To view the specific drawing in more detail, the user merely selects or clicks on the desired drawing or hyperlink (e.g., the title of the document that appears underlined and in a different color). FIG. 7 illustrates a typical web browser interface 500 as displayed on monitor 202 which displays an expanded view of drawing 1, cs_8300_2.dwg, which the user has selected.

The expanded view of the drawing retrieved by the search of the present invention allows the user to view in more detail the drawing(s) that the search queries yielded. The user can then decide whether the expanded drawing is the drawing

Once the detailed drawing is displayed as illustrated in FIG. 7, the user may perform various operations. For example, the display itself may be linked to an application program such as WHIP![®] available from AutoDesk, Inc. Such applications may provide the user with the ability to zoom, filter the current view based on a layer, display another view of the same model, copy the image, print the image, save the image, etc. Such options may be accessible by clicking the right mouse button while the cursor is over the image.

Hyperlinks 704-712 provide the ability to translate the format of the drawing to another format. The current format is indicated by boldfacing the type of the format. For example, in FIG. 7, the DWG format hyperlink 704 is boldfaced to indicate that the current format being viewed is in DWG format. To transform the image, the user merely needs to select a format that is hyperlinked. For example, if the user desires to transform the drawing into DWF format, the DWF hyperlink 708 is selected. Alternatively, the user may select the DXF format hyperlink 706, the BMP format

hyperlink 710, or the WMF (Windows MetaFile) format hyperlink 712. After selecting the appropriate hyperlink, the user may be prompted to either open the file or save the file. If the user elects to save the file, one or more embodiments of the invention prompts the user to select a filename and location to store the file in the
5 selected format.

Conclusion

In summary, the present invention discloses a method, apparatus, and article of manufacture for providing access to drawings on a network. Drawings may be
10 transformed from one format to another format automatically on the fly. One or more embodiments provide components that integrate with back office servers, users (with or without web browsers), viewing applications (e.g., WHIP!®, VoloView™, or AutoCAD®), and drawing data (e.g., DWG data).

The invention provides for automating the finding and serving of CAD design
15 data and increases the level of access, manipulation, and automation possible with design data. The present invention also provides programmable, scriptable components that can query, filter, search, merge, and translate design drawing data. Further, administrators can use the present invention to dynamically index and publish design drawing data.

20 The foregoing description of the preferred embodiment of the invention has been presented for the purposes of illustration and description. It is not intended to be exhaustive or to limit the invention to the precise form disclosed. Many modifications

Parameter	Unit	Value	Standard Error	95% CI	P-value
Intercept		1.00	0.00	1.00	0.00
Age	Year	0.02	0.01	-0.01, 0.05	0.15
Gender					
Male		0.01	0.01	-0.01, 0.03	0.45
Female		-0.01	0.01	-0.03, 0.01	0.45
Education	Year	0.01	0.01	-0.01, 0.03	0.15
Income	Year	0.01	0.01	-0.01, 0.03	0.15
Health					
Good		0.01	0.01	-0.01, 0.03	0.45
Fair		-0.01	0.01	-0.03, 0.01	0.45
Poor		0.01	0.01	-0.01, 0.03	0.45
Occupation					
Manager		0.01	0.01	-0.01, 0.03	0.45
Professional		0.01	0.01	-0.01, 0.03	0.45
Service		0.01	0.01	-0.01, 0.03	0.45
Unemployed		0.01	0.01	-0.01, 0.03	0.45
Retired		0.01	0.01	-0.01, 0.03	0.45
Homemaker		0.01	0.01	-0.01, 0.03	0.45
Student		0.01	0.01	-0.01, 0.03	0.45
Other		0.01	0.01	-0.01, 0.03	0.45
Marital Status					
Married		0.01	0.01	-0.01, 0.03	0.45
Single		0.01	0.01	-0.01, 0.03	0.45
Divorced		0.01	0.01	-0.01, 0.03	0.45
Widowed		0.01	0.01	-0.01, 0.03	0.45
Never Married		0.01	0.01	-0.01, 0.03	0.45
Religion					
Christian		0.01	0.01	-0.01, 0.03	0.45
Jewish		0.01	0.01	-0.01, 0.03	0.45
Muslim		0.01	0.01	-0.01, 0.03	0.45
Other		0.01	0.01	-0.01, 0.03	0.45
Political Affiliation					
Democrat		0.01	0.01	-0.01, 0.03	0.45
Republican		0.01	0.01	-0.01, 0.03	0.45
Independent		0.01	0.01	-0.01, 0.03	0.45
Other		0.01	0.01	-0.01, 0.03	0.45
Region					
North		0.01	0.01	-0.01, 0.03	0.45
South		0.01	0.01	-0.01, 0.03	0.45
West		0.01	0.01	-0.01, 0.03	0.45
Midwest		0.01	0.01	-0.01, 0.03	0.45
Other		0.01	0.01	-0.01, 0.03	0.45
Time	Year	0.01	0.01	-0.01, 0.03	0.45
Time Squared	Year	0.01	0.01	-0.01, 0.03	0.45
Time Cubed	Year	0.01	0.01	-0.01, 0.03	0.45
Time Quart	Year	0.01	0.01	-0.01, 0.03	0.45
Time Quint	Year	0.01	0.01	-0.01, 0.03	0.45
Time Sext	Year	0.01	0.01	-0.01, 0.03	0.45
Time Sept	Year	0.01	0.01	-0.01, 0.03	0.45
Time Oct	Year	0.01	0.01	-0.01, 0.03	0.45
Time Eleventh	Year	0.01	0.01	-0.01, 0.03	0.45
Time Twelfth	Year	0.01	0.01	-0.01, 0.03	0.45
Time Thirteenth	Year	0.01	0.01	-0.01, 0.03	0.45
Time Fourteenth	Year	0.01	0.01	-0.01, 0.03	0.45
Time Fifteenth	Year	0.01	0.01	-0.01, 0.03	0.45
Time Sixteenth	Year	0.01	0.01	-0.01, 0.03	0.45
Time Seventeenth	Year	0.01	0.01	-0.01, 0.03	0.45
Time Eighteenth	Year	0.01	0.01	-0.01, 0.03	0.45
Time Nineteenth	Year	0.01	0.01	-0.01, 0.03	0.45
Time Twentieth	Year	0.01	0.01	-0.01, 0.03	0.45
Time Twenty-first	Year	0.01	0.01	-0.01, 0.03	0.45
Time Twenty-second	Year	0.01	0.01	-0.01, 0.03	0.45
Time Twenty-third	Year	0.			

CLAIMS

We claim:

1. A computer implemented system for providing access to a drawing comprising:

5 a drawing file;

an information extraction server component configured to provide information relating to the drawing file from a group of information comprising file size, date, and author;

10 a search server component configured to provide a query engine that allows complex property and tag-based queries of the drawing file; and

a conversion server component configured to transform the drawing file from one drawing file format to another drawing file format without accessing the application that created the drawing file.

15 2. The system of claim 1 further comprising an active server page (ASP) that interacts with one or more of the server components to obtain requested information in a graphical user interface on a web browser.

20 3. The system of claim 1 wherein the conversion component is cached.

4. The system of claim 1 wherein the search server component utilizes an index server that interacts with one or more drawing filters to filter and retrieve

5

10

15

20

20

9. The method of claim 6 further comprising filtering and retrieving information utilizing an index server that interacts with one or more drawing filters.

10. The method of claim 6 wherein the drawing file is stored in DWG file format.

11. An article of manufacture embodying logic for performing a method for accessing a drawing over a network, the method comprising:

obtaining information relating to a drawing file from a group of information comprising file size, date, and author;

providing a query engine that allows complex property and tag-based queries of the drawing file; and

transforming the drawing file from one drawing file format to another drawing file format without accessing the application that created the drawing file.

12. The article of manufacture of claim 11 wherein the method further comprises obtaining requested information in a graphical user interface on a web browser using an active server page (ASP).

13. The article of manufacture of claim 11 wherein the method further comprises caching the conversion component.

14. The article of manufacture of claim 11 wherein the method further comprises filtering and retrieving information utilizing an index server that interacts

5

- 5

ABSTRACT OF THE DISCLOSURE

A method, apparatus, and article of manufacture for automating the finding and serving of CAD design data is disclosed. One or more embodiments of the invention increase the level of access and automation possible with design data. One or more
5 embodiments of the invention provide a server comprised of various components including an information extraction component, a search component, and a conversion component. The various components provide users with enhanced access to drawing and design data. One or more embodiments of the invention also provide programmable, scriptable components that can query, filter, manipulate, merge, and
10 translate design drawing data using the Web browser interface. Further, Web site administrators can use the present invention to dynamically index and publish design drawing data.

"Express Mail" mailing label number: EL30793955SU S
 Date of Deposit: MARCH 30 2000
 I hereby certify that this paper or fee is being de-
 posited with the United States Postal Service "Express
 Post Office to Addressee" service under 37 CFR 1.10 on
 the date indicated above and is addressed to:
 Assistant Commissioner for Patents, Washington, D.C. 20221.
 • SHARIE MCCLURE
 (printed name)
Sharie McClure
 (Signature)




FIG. 1 (PRIOR ART)




FIG. 2




FIG. 3




FIG. 5




FIG. 6




FIG. 7

GATES & COOPER

United States Patent Application

COMBINED DECLARATION AND POWER OF ATTORNEY

As a below named inventor I hereby declare that: my residence, post office address and citizenship are as stated below next to my name; that

I verily believe I am the original, first and sole inventor (if only one name is listed below) or a joint inventor (if plural inventors are named below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

METHOD AND APPARATUS FOR PROVIDING ACCESS TO DRAWING INFORMATION

The specification of which:

- a. ☒ is attached hereto.
- b. ☐ was filed on _____ as United States Application Number or PCT International Application Number _____ and was amended on _____ (if applicable), which I have reviewed and for which I solicit a United States patent.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, § 1.56 (attached hereto).

I hereby claim foreign priority benefits under Title 35, United States Code, § 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below any foreign application for patent or inventor's certificate or any PCT application having a filing date before that of the application on the basis of which priority is claimed:

- a. ☒ no such applications have been filed.
- b. ☐ such applications have been filed as follows:

FOREIGN APPLICATION(S), IF ANY, CLAIMING PRIORITY UNDER 35 USC § 119			
COUNTRY	APPLICATION NUMBER	DATE OF FILING (day, month, year)	DATE OF ISSUE (day, month, year)
OTHER FOREIGN APPLICATION(S), IF ANY, FILED BEFORE THE PRIORITY APPLICATION(S)			
COUNTRY	APPLICATION NUMBER	DATE OF FILING (day, month, year)	DATE OF ISSUE (day, month, year)

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s), or 365(c) of any PCT international application(s) designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT international application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose

material information as defined in Title 37, Code of Federal Regulations, § 1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. PARENT APPLICATION OR PCT PARENT NUMBER	DATE OF FILING (day, month, year)	STATUS (patented, pending, abandoned)

I hereby claim the benefit under Title 35, United States Code § 119(e) of any United States provisional application(s) listed below:

U.S. PROVISIONAL APPLICATION NUMBER	DATE OF FILING (Day, Month, Year)
60/132,057	30 APRIL 1999

I hereby appoint the following attorneys to prosecute this application and to transact all business in the Patent and Trademark Office connected herewith:

George H. Gates	Registration No. 33,500
Victor G. Cooper	Registration No. 39,641
Anthony J. Orler	Registration No. 41,232
Karen S. Canady	Registration No. 39,927
William J. Wood	Registration No. 42,236
Jason S. Feldmar	Registration No. 39,187

I hereby authorize them to act and rely on instructions from and communicate directly with the person/assignee/attorney/firm/ organization who/which first sends/sent this case to them and by whom/which I hereby declare that I have consented after full disclosure to be represented unless/until I instruct Gates & Cooper to the contrary.

Please direct all correspondence in this case to the firm of Gates & Cooper at the address indicated below:

GATES & COOPER
Howard Hughes Center
6701 Center Drive West, Suite 1050
Los Angeles, CA 90045

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

(1)	Full Name Of Inventor	Family Name MATHEWS	First Given Name BRIAN	Second Given Name PHILIP
	Residence & Citizenship	City San Francisco	State or Foreign Country California	Country of Citizenship U.S.A.
	Post Office Address	Post Office Address 3455 Fillmore Street, Apt. 201	City San Francisco	State & Zip Code/Country California 94123/U.S.A.
Signature of Inventor(1): <i>Brian Philip Mathews</i>				Date: 3/24/2000
(2)	Full Name Of Inventor	Family Name DEV	First Given Name RATNAKAR	Second Given Name G.
	Residence & Citizenship	City San Rafael	State or Foreign Country California	Country of Citizenship India
	Post Office Address	Post Office Address 380 Channing Way #263	City San Rafael	State & Zip Code/Country California 94903/U.S.A.
Signature of Inventor(2): <i>[Signature]</i>				Date: 3/24/2000

000000 " 00000000

1.56 Duty to disclose information material to patentability.

(a) A patent by its very nature is affected with a public interest. The public interest is best served, and the most effective patent examination occurs when, at the time an application is being examined, the Office is aware of and evaluates the teachings of all information material to patentability. Each individual associated with the filing and prosecution of a patent application has a duty of candor and good faith in dealing with the Office, which includes a duty to disclose to the Office all information known to that individual to be material to patentability as defined in this section. The duty to disclose information exists with respect to each pending claim until the claim is canceled or withdrawn from consideration, or the application becomes abandoned. Information material to the patentability of a claim that is canceled or withdrawn from consideration need not be submitted if the information is not material to the patentability of any claim remaining under consideration in the application. There is no duty to submit information which is not material to the patentability of any existing claim. The duty to disclose all information known to be material to patentability is deemed to be satisfied if all information known to be material to patentability of any claim issued in a patent was cited by the Office or submitted to the Office in the manner prescribed by §§ 1.97(b)-(d) and 1.98. However, no patent will be granted on an application in connection with which fraud on the Office was practiced or attempted or the duty of disclosure was violated through bad faith or intentional misconduct. The Office encourages applicants to carefully examine:

- (1) prior art cited in search reports of a foreign patent office in a counterpart application, and
- (2) the closest information over which individuals associated with the filing or prosecution of a patent application believe any pending claim patentably defines, to make sure that any material information contained therein is disclosed to the Office.

(b) Under this section, information is material to patentability when it is not cumulative to information already of record or being made of record in the application, and

- (1) it establishes, by itself or in combination with other information, a prima facie case of unpatentability of a claim; or
- (2) it refutes, or is inconsistent with, a position the applicant takes in:
 - (i) opposing an argument of unpatentability relied on by the Office, or
 - (ii) asserting an argument of patentability.

A prima facie case of unpatentability is established when the information compels a conclusion that a claim is unpatentable under the preponderance of evidence, burden-of-proof standard, giving each term in the claim its broadest reasonable construction consistent with the specification, and before any consideration is given to evidence which may be submitted in an attempt to establish a contrary conclusion of patentability.

(c) Individuals associated with the filing or prosecution of a patent application within the meaning of this section are:

- (1) each inventor named in the application;
- (2) each attorney or agent who prepares or prosecutes the application; and
- (3) every other person who is substantively involved in the preparation or prosecution of the application and who is associated with the inventor, with the assignee or with anyone to whom there is an obligation to assign the application.

(d) Individuals other than the attorney, agent or inventor may comply with this section by disclosing information to the attorney, agent, or inventor.